

KENYATAAN TENDER

Pengurusan Air Selangor Sdn Bhd mempelawa Kontraktor/Pembekal yang memiliki syarat - syarat pendaftaran seperti di bawah untuk membuat tawaran bagi kerja-kerja berikut:-

Bil.	Perihal Kerja / No. Tender / Harga Dokumen	Syarat Penyertaan Tender	Maklumat Tender																				
1	<p>SERVICE FOR AIR EMISSION MONITORING UNDER CLEAN AIR REGULATION 2014, ENVIRONMENTAL QUALITY ACT 1974 FOR PERIOD OF 3 YEARS (2 + 1 YEAR)</p> <p>No. Tender: PN000024183</p> <p>Harga Dokumen: RM200.00</p> <p>Harga Indikatif: RM476,000.00*</p> <p>*Harga Indikatif ini merupakan suatu anggaran sahaja dan amaun tersebut tidak mengikat mana-mana pihak lain bagi mengelakkan kekeliruan yang mungkin berbangkit.</p> <p>Pihak Air Selangor tidak menjamin bahawa Syarikat akan dipilih dengan bersandarkan Harga Indikatif.</p> <p>Ringkasan Skop Kerja: (Brief Scope of Works):</p> <p>The Scope of services shall cover but not limited to the following:</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td> <p>Written Notification (WN) & Written Declaration (WD) Application</p> <p>A. To carry out consultancy works for Written Notification (WN) and Written Declaration (WD) as required under Environmental Quality (Clean Air) Regulations, 2014 under Regulation (4): Obligation to Comply, Regulation 5: Obligation to Notify the Director General and Regulation 7: Design and Construction of Air Pollution Control System.</p> <p>B. The brief scope of works for shall include but not limited to the following:</p> <p>i) Site visit with appointed registered engineer.</p> <p>ii) Submit Written Notification 'AS/PUB/N-CHIMNEY' form to DOE.</p> <p>iii) Submit 'Written Declaration on Design and Construction of Air Pollution Control System' form with 'As Built Drawing' of the control system to DOE.</p> <p>iv) Periodic/ continuous monitoring.</p> </td> </tr> <tr> <td>2</td> <td> <p>Periodic Air Quality Monitoring (Stack Monitoring)</p> <p>A. To carry out Air Emission Monitoring at WTPs as required under Environmental Quality (Clean Air) Regulations 2014, Regulation 23 - The sampling and analysis of pollutants shall be carried out in accordance with the Malaysian Standards MS 1596 or MS 1723 or the Methods published by the United States Environmental Protection Agency or any other standards as determined by the Director General;</p> <p>i) For units of Chlorine Scrubber based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - Chlorine gas</p> <p>ii) For unit of Fume Hood based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - NaOH, H2SO4, HCl, HNO3</p> <p>iii) For unit Genset based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - CO2, NO, NOX, SOX, Co, O2, Dark Smoke</p> <p>iv) For units of SILO based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>B. To produce complete report for each WTP which shall be inclusive of objective, methodology of the air emission monitoring, the analysis data & result, discussion, conclusion and recommendation.</p> <p>List of Air Pollution Control System (APCS) shall include but not limited to the following:</p> <p>a) Water Treatment Plant (WTP) – 14 Sites</p> <p>b) Pump House (Regional office & Headquarters) – 69 Locations</p> </td> </tr> <tr> <td>3</td> <td> <p>Boundary Noise Monitoring</p> <p>a. To carry out Boundary Noise Monitoring at pumphouses as required under Environmental Quality Act 1974, Section 21 – specify acceptable conditions for the emission of noise into any area, segment or element of the environment. Section 23 – (1) No person shall, unless licenced, emit or cause or permit to be emitted any noise greater in</p> </td> </tr> </tbody> </table>	Item	Description	1	<p>Written Notification (WN) & Written Declaration (WD) Application</p> <p>A. To carry out consultancy works for Written Notification (WN) and Written Declaration (WD) as required under Environmental Quality (Clean Air) Regulations, 2014 under Regulation (4): Obligation to Comply, Regulation 5: Obligation to Notify the Director General and Regulation 7: Design and Construction of Air Pollution Control System.</p> <p>B. The brief scope of works for shall include but not limited to the following:</p> <p>i) Site visit with appointed registered engineer.</p> <p>ii) Submit Written Notification 'AS/PUB/N-CHIMNEY' form to DOE.</p> <p>iii) Submit 'Written Declaration on Design and Construction of Air Pollution Control System' form with 'As Built Drawing' of the control system to DOE.</p> <p>iv) Periodic/ continuous monitoring.</p>	2	<p>Periodic Air Quality Monitoring (Stack Monitoring)</p> <p>A. To carry out Air Emission Monitoring at WTPs as required under Environmental Quality (Clean Air) Regulations 2014, Regulation 23 - The sampling and analysis of pollutants shall be carried out in accordance with the Malaysian Standards MS 1596 or MS 1723 or the Methods published by the United States Environmental Protection Agency or any other standards as determined by the Director General;</p> <p>i) For units of Chlorine Scrubber based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - Chlorine gas</p> <p>ii) For unit of Fume Hood based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - NaOH, H2SO4, HCl, HNO3</p> <p>iii) For unit Genset based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - CO2, NO, NOX, SOX, Co, O2, Dark Smoke</p> <p>iv) For units of SILO based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>B. To produce complete report for each WTP which shall be inclusive of objective, methodology of the air emission monitoring, the analysis data & result, discussion, conclusion and recommendation.</p> <p>List of Air Pollution Control System (APCS) shall include but not limited to the following:</p> <p>a) Water Treatment Plant (WTP) – 14 Sites</p> <p>b) Pump House (Regional office & Headquarters) – 69 Locations</p>	3	<p>Boundary Noise Monitoring</p> <p>a. To carry out Boundary Noise Monitoring at pumphouses as required under Environmental Quality Act 1974, Section 21 – specify acceptable conditions for the emission of noise into any area, segment or element of the environment. Section 23 – (1) No person shall, unless licenced, emit or cause or permit to be emitted any noise greater in</p>	<p>Berdaftar dengan:</p> <p>1. <u>Suruhanjaya Syarikat Malaysia (SSM)</u> Berstatus SDN. BHD./BHD. Sahaja</p> <p>ATAU</p> <p>Untuk Syarikat dari Luar Negara</p> <p>Berdaftar dengan:</p> <p>Badan Pendaftaran Syarikat di Negara berkenaan (diwajibkan penyertakan Sijil Pendaftaran Syarikat)</p> <p>DAN</p> <p>2. <u>Memperolehi Skim Akreditasi Makmal Malaysia (SAMM)</u></p> <p>DAN</p> <p>3. Berdaftar sebagai <u>Vendor Pengurusan Air Selangor Sdn Bhd</u> (Rujuk Nota 2)</p> <p>Nota Penting:</p> <p>Setiap pendaftaran tender adalah diwajibkan untuk mengisi Borang Consent Authorisation Form yang boleh dimuat turun melalui Sistem Tender. Borang yang telah lengkap diisi serta ditandatangani hendaklah dimuatnaik bersama dokumen pendaftaran tender.</p> <p>Arahan kepada Petender (Instructions to Tenderer)</p> <p>The tender submission shall be made solely by the tenderer and not through any broker, agent, or intermediary. The tenderer shall also not make any payments, commissions, or fees to any broker, agent, or intermediary in connection with this tender. Any breach of this clause may result in the tenderer to be disqualified from the Tender exercise and their tender submission shall be rejected. However, where the tenderer is a local authorised [agent of a manufacturer], the tenderer shall include in its submission, documents demonstrating the authority granted to the tenderer as a local distributor, supplier or otherwise, from the [manufacturer]</p>	<p>Tender ini dilaksanakan sepenuhnya secara dalam talian (<i>online</i>) menerusi Sistem Tender (Rujuk Nota 1). Petender yang berminat menyertai tender ini hendaklah mendaftar dan berurusan melalui Sistem Tender.</p> <p>Hanya kontraktor/pembekal yang memenuhi syarat penyertaan tender sahaja layak dan dibenarkan untuk membeli dokumen tender.</p> <table border="1"> <tbody> <tr> <td>Tempoh Pendaftaran Tender Dalam Sistem Tender</td> <td>9/4/2026 hingga 21/4/2026 (3:00 ptg.)</td> </tr> <tr> <td>Pautan ke Sistem Tender</td> <td>https://tender.airselangor.com</td> </tr> <tr> <td>Tarikh Pemberitahuan kepada petender yang layak untuk Taklimat/Lawatan Tapak.</td> <td>22/4/2026</td> </tr> <tr> <td>Maklumat Taklimat Tender/Lawatan Tapak</td> <td> <p>Tarikh & Masa: 23/4/2026</p> <p>(LAWATAN TAPAK/TAKLIMAT TENDER DIWAJIBKAN)</p> <p>1. Akan dimaklumkan menerusi emel kepada petender yang layak / memenuhi syarat penyertaan tender Sahaja.</p> <p>2. Petender yang layak hendaklah menyediakan Surat Kuasa bagi wakil yang menghadiri lawatan tapak/taklimat tender.</p> </td> </tr> <tr> <td>Tempoh Penjualan Dokumen</td> <td>23/4/2026 hingga 30/4/2026 (11:00 mlm.)</td> </tr> <tr> <td>Tarikh Tutup Tender Dalam Talian (TAMS)</td> <td>7/5/2026 (3:00 ptg.)</td> </tr> </tbody> </table> <p>Pegawai Untuk Dihubungi: Perihal Tender</p> <p>1. Nasarudin Yaakob (03 - 2088 5384)</p> <p>Pendaftaran Tender</p> <p>1. Dr. Azman Ismail (03-2088 3404)</p> <p>2. Muhamad Amirul Abd Kadir (03-2088 5340)</p> <p>Pendaftaran Vendor</p> <p>1. Hussein Thajudeen (03-2088 5798)</p>	Tempoh Pendaftaran Tender Dalam Sistem Tender	9/4/2026 hingga 21/4/2026 (3:00 ptg.)	Pautan ke Sistem Tender	https://tender.airselangor.com	Tarikh Pemberitahuan kepada petender yang layak untuk Taklimat/Lawatan Tapak.	22/4/2026	Maklumat Taklimat Tender/Lawatan Tapak	<p>Tarikh & Masa: 23/4/2026</p> <p>(LAWATAN TAPAK/TAKLIMAT TENDER DIWAJIBKAN)</p> <p>1. Akan dimaklumkan menerusi emel kepada petender yang layak / memenuhi syarat penyertaan tender Sahaja.</p> <p>2. Petender yang layak hendaklah menyediakan Surat Kuasa bagi wakil yang menghadiri lawatan tapak/taklimat tender.</p>	Tempoh Penjualan Dokumen	23/4/2026 hingga 30/4/2026 (11:00 mlm.)	Tarikh Tutup Tender Dalam Talian (TAMS)	7/5/2026 (3:00 ptg.)
Item	Description																						
1	<p>Written Notification (WN) & Written Declaration (WD) Application</p> <p>A. To carry out consultancy works for Written Notification (WN) and Written Declaration (WD) as required under Environmental Quality (Clean Air) Regulations, 2014 under Regulation (4): Obligation to Comply, Regulation 5: Obligation to Notify the Director General and Regulation 7: Design and Construction of Air Pollution Control System.</p> <p>B. The brief scope of works for shall include but not limited to the following:</p> <p>i) Site visit with appointed registered engineer.</p> <p>ii) Submit Written Notification 'AS/PUB/N-CHIMNEY' form to DOE.</p> <p>iii) Submit 'Written Declaration on Design and Construction of Air Pollution Control System' form with 'As Built Drawing' of the control system to DOE.</p> <p>iv) Periodic/ continuous monitoring.</p>																						
2	<p>Periodic Air Quality Monitoring (Stack Monitoring)</p> <p>A. To carry out Air Emission Monitoring at WTPs as required under Environmental Quality (Clean Air) Regulations 2014, Regulation 23 - The sampling and analysis of pollutants shall be carried out in accordance with the Malaysian Standards MS 1596 or MS 1723 or the Methods published by the United States Environmental Protection Agency or any other standards as determined by the Director General;</p> <p>i) For units of Chlorine Scrubber based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - Chlorine gas</p> <p>ii) For unit of Fume Hood based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - NaOH, H2SO4, HCl, HNO3</p> <p>iii) For unit Genset based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>b) Gaseous substance - CO2, NO, NOX, SOX, Co, O2, Dark Smoke</p> <p>iv) For units of SILO based on parameter as below:</p> <p>a) Solid particle concentration (Dust), Efflux velocity, Air temperature</p> <p>B. To produce complete report for each WTP which shall be inclusive of objective, methodology of the air emission monitoring, the analysis data & result, discussion, conclusion and recommendation.</p> <p>List of Air Pollution Control System (APCS) shall include but not limited to the following:</p> <p>a) Water Treatment Plant (WTP) – 14 Sites</p> <p>b) Pump House (Regional office & Headquarters) – 69 Locations</p>																						
3	<p>Boundary Noise Monitoring</p> <p>a. To carry out Boundary Noise Monitoring at pumphouses as required under Environmental Quality Act 1974, Section 21 – specify acceptable conditions for the emission of noise into any area, segment or element of the environment. Section 23 – (1) No person shall, unless licenced, emit or cause or permit to be emitted any noise greater in</p>																						
Tempoh Pendaftaran Tender Dalam Sistem Tender	9/4/2026 hingga 21/4/2026 (3:00 ptg.)																						
Pautan ke Sistem Tender	https://tender.airselangor.com																						
Tarikh Pemberitahuan kepada petender yang layak untuk Taklimat/Lawatan Tapak.	22/4/2026																						
Maklumat Taklimat Tender/Lawatan Tapak	<p>Tarikh & Masa: 23/4/2026</p> <p>(LAWATAN TAPAK/TAKLIMAT TENDER DIWAJIBKAN)</p> <p>1. Akan dimaklumkan menerusi emel kepada petender yang layak / memenuhi syarat penyertaan tender Sahaja.</p> <p>2. Petender yang layak hendaklah menyediakan Surat Kuasa bagi wakil yang menghadiri lawatan tapak/taklimat tender.</p>																						
Tempoh Penjualan Dokumen	23/4/2026 hingga 30/4/2026 (11:00 mlm.)																						
Tarikh Tutup Tender Dalam Talian (TAMS)	7/5/2026 (3:00 ptg.)																						

Bil.	Perihal Kerja / No. Tender / Harga Dokumen	Syarat Penyertaan Tender	Maklumat Tender
	<p>volume, intensity or quality in contravention of the acceptable conditions specified under section 21</p> <p>b. To produce complete report for each premises which shall inclusive of objective, methodology of the boundary noise monitoring, the analysis data & result, discussion, conclusion and recommendation.</p>		
4	<p>Health, Safety and Environment</p> <p>a. The Consultant and its employees are to always ensure compliance with the WTP's rules and regulations pertaining to Health, Safety and Environment (HSE) at workplace and all other Acts or Regulation which are in force such as Environmental Quality Act and Regulation 1974, Occupational Safety and Health Act 1994 and Factories and Machinerics Act 1967.</p> <p>b. The Consultant shall be required to liaise with the respective Regional/WTP's Safety Officer to ensure that all workmen employed to perform the Services abide by the health, safety and occupational rules and regulations enforced by the AiS management at the WTPs from time to time. Before the commencement of daily work, the Consultant is required to register with the Plant Superintendents/Plant Managers or his assigned representative the name of all workmen assigned to provide the services for the day.</p> <p>c. The Consultant and its employees are required to attend Safety Briefing conducted by AiS Safety Officer before the commencement of work at WTPs. The Consultant and its employees are required at all tim</p>		
5	<p>General</p> <p>a. The vendor shall carry out the required works at all listed premises.</p> <p>b. The vendor must adhere strictly to the scheduled work program.</p> <p>c. The vendor shall coordinate with site representatives and ensure minimal disruption to facility operations during works</p> <p>d. The vendor shall ensure the accuracy, integrity and traceability of all monitoring data. Reports must be submitted within the stipulated timeline and in the prescribed format</p>		

NOTA;

- Untuk mendaftar dan berurusan dengan **Sistem Tender**, sila ke pautan <https://tender.airselangor.com> dan ikuti panduan yang dipaparkan. Untuk sebarang pertanyaan mengenai urusan berkaitan Sistem Tender dan pembelian dokumen tender, sila hubungi No. 03-2088 3404/5340 atau menghantar pertanyaan melalui Sistem Tender.
- Untuk mendaftar sebagai **Vendor Pengurusan Air Selangor Sdn Bhd**, sila ke pautan berikut: <https://www.airselangor.com/vendor> dan ikuti panduan yang dipaparkan. Untuk sebarang pertanyaan mengenai pendaftaran vendor, sila hubungi No. 03-2088 5798/5187/5008/5311 atau e-mel ke vendor@airselangor.com.
- Setiap syarikat dibenarkan menghantar hanya **seorang/dua wakil** untuk menyertai Taklimat/Lawatan Tapak. Kontraktor/Pembekal diingatkan untuk menghantar wakil syarikat yang berkelayakan bagi tujuan pemahaman skop kerja dan penyediaan tawaran tender.
- Kontraktor/Pembekal yang telah menghadiri Taklimat/Lawatan Tapak (sekiranya ada) / memenuhi syarat penyertaan tender boleh meneliti **Dokumen Meja Tender (Tender Table Document)** dan membeli tender melalui Sistem Tender.
- Kontraktor/Pembekal yang hendak membeli tender dikehendaki membuat pembayaran di dalam Sistem Tender (menggunakan FPX). Kontraktor/Pembekal diingatkan sebarang bayaran pembelian tender tidak akan dikembalikan kecuali di atas sebab pembatalan tender oleh pihak Air Selangor.
- Selepas membuat bayaran dan mendapat pengesahan daripada pihak Air Selangor, Kontraktor/Pembekal akan menerima Dokumen Tawaran untuk menyertai Tender melalui **TAMS Supplier Portal**.
- Dokumen tender hendaklah dihantar secara dalam talian (**TAMS**) tidak lewat dari jam **3.00 petang** pada tarikh tender ditutup. Penyerahan tawaran tender yang lewat tidak akan diterima.
- Air Selangor mewajibkan Rakan Perniagaannya untuk memperoleh pensijilan **ISO 37001 Sistem Pengurusan Anti Rasuah (ABMS)** sebelum 30 Jun 2028 (untuk projek bernilai lebih RM50 juta) atau sebelum 30 Jun 2030 (untuk projek bernilai lebih RM5 juta) bagi menyertai tender Air Selangor. Ini adalah sebahagian daripada komitmen Air Selangor terhadap amalan perniagaan beretika. Sila mulakan proses permohonan pensijilan ISO 37001 jika anda belum berbuat demikian untuk kekal layak bagi kontrak masa depan dengan Air Selangor.



Sertai Saluran Telegram Kami

Tender Air Selangor

<https://t.me/tenderairselangor>

Untuk mendapatkan pemberitahuan tentang kemas kini tender kami